PIC	CODE	SPEC.	line to line	line to ground	class
	LG712S	LED Flood Lamp 1LED*10W	0.5kv	1.0kv	I
	6108	220-240VAC~ 50/60Hz 10W 750Lm 4200K Ra>70			
		Body:Alu. Silver Grey 113*84*164mm			
		Cable:1.5M Rubber Black 3*1.0mm2 W/EU Plug			
		W/EMC W/PIR Sensor IP44 ClassI Pf>0.5			
		Three-year-warranty CE RoHS			
	LG718-30W-W	LED Flood Lamp 1LED*30W	1.0kv	2.0kv	I
	6116	220-240VAC~ 50/60Hz 30W 2100Lm 4200K Ra>70			
		Body: Alu. Black-Red 225*185*128mm			
		Cable:2.5M Rubber Black 3*1.0mm2 W/EU plug			
		W/EMC W/O sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG718-50W-W	LED Flood Lamp 1LED*50W	1.0kv	2.0kv	I
	6143	220-240VAC~ 50/60Hz 50W 3500Lm 4200K Ra>70			
		Body: Alu. Black-Red 285*235*128mm			
		Cable:2.5M Rubber Black 3*1.0mm2 W/EU plug			
		W/EMC W/O sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	GL50	1) Light source:1*10W Epistar chip 4200K	0.5kv	1.0kv	I
	6117	2) Black housing case, Red Stand			
		3 Charging time: 5 hours			
		4) Working time: 3 hours			
		5) Battery:7.4V, 2200mAh Li batteries			
		6) AC/DC adaptor, without car charger			
		7) With charging protection and discharging protection			
		8) Running in constant current			
	GL51	1) Light source:1*20W Epistar chip 4200K	0.5kv	1.0kv	I
	6118	2) Black housing case, Red Stand			
		3 Charging time: 5 hours			
		4) Working time: 3 hours			
		5) Battery:7.4V, 4400mAh Li batteries			
		6) AC/DC adaptor, without car charger			
		7) With charging protection and discharging protection			
		8) Running in constant current			
	LG768	LED Flood Lamp 12LED*1W Epistar	0.5kv	1.0kv	I
	6124	220-240VAC~ 50/60Hz 12W 700Lm 5700K Ra>70			
		Body: Alu. Grey 118*168*97mmmm			
		Cable:1.5M Rubber Black 3*1.0mm2 W/EU Plug			
		W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG711-80W	LED Flood Lamp 2LED*40W Epistar	1.0kv	2.0kv	I
	6136	220-240VAC~ 50/60Hz 80W 6000Lm 4200K Ra>70			
		Body: Alu. Black 465*380*125mm			
		Cable:1.5M Rubber Black 3*1.0mm2 W/EU Plug			
		W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG711-100W	LED Flood Lamp 2LED*50W Epistar	1.0kv	2.0kv	I
	6131	220-240VAC~ 50/60Hz 100W 6500Lm 4200K Ra>70			
		Body: Alu. Black 465*380*125mm			
		Cable:1.5M Rubber Black 3*1.0mm2 W/EU Plug			
		W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG711-140W	LED Flood Lamp 4LED*40W Epistar	1.0kv	2.0kv	I
	6137	220-240VAC~ 50/60Hz 140W 11200Lm 4200K Ra>70			
		Body: Alu. Black 620*470*160mm			
		Cable:1.5M Rubber Black 3*1.0mm2 W/EU Plug			
		W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			

	LG711-200W	LED Flood Lamp 4LED*50W Epistar	1.0kv	2.0kv	I
	6112	220-240VAC~ 50/60Hz 200W 13000Lm 4200K Ra>70			
		Body: Alu. Black 620*470*160mm			
		Cable:1.5M Rubber Black 3*1.0mm2 W/EU Plug			
		W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG16-10W	LED Flood Lamp;Seoul High-voltage chip	0.5kv	1.0kv	I
	6151	220-240VAC~ 50/60Hz 10W 600Lm 4000K Ra>80			
		Body:Aluminum;White; 152*116*25mm			
		Cable:1M;Rubber;White;3*1.0mm2;W/EU Plug			
		W/EMC W/O sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG16-20W	LED Flood Lamp;Seoul High-voltage chip	0.5kv	1.0kv	I
	6157	220-240VAC~ 50/60Hz 20W 1200Lm 4000K Ra>80			
		Body:Aluminum;White; 213*180*27.5mm			
		Cable:1M;Rubber;White;3*1.0mm2;W/EU Plug			
		W/EMC W/O sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
			1.0kv	2.0kv	I
	LG16-30W	LED Flood Lamp;Nichia Low-voltage chip			
	6159	100-240VAC~ 50/60Hz 30W 2100Lm 4000K Ra>80			
		Body:Aluminum;White; 310*230*40mm			
		Cable:1M;Rubber;White;3*1.0mm2;W/EU Plug			
		W/EMC W/O sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG16-50W	LED Flood Lamp;Nichia Low-voltage chip	1.0kv	2.0kv	I
	6152	100-240VAC~ 50/60Hz 50W 3500Lm 4000K Ra>80			
		Body:Aluminum;White; 310*230*40mm			
		Cable:1M;Rubber;White;3*1.0mm2;W/EU plug			
		W/EMC W/O sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG678-30W	LED Street Lamp 1LED*30W Epistar	1.0kv	2.0kv	I
	6161	220-240VAC~ 50/60Hz 30W 3000Lm 4200K Ra>70			
		Body: Alu. Grey 500*214*81mm			
		Cable:30CM Rubber Black 3*1.0mm2			
		W/EMC IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG678-60W	LED Street Lamp 1LED*60W Epistar	1.0kv	2.0kv	I
	6162	220-240VAC~ 50/60Hz 60W 6000Lm 4200K Ra>70			
		Body: Alu. Grey 500*214*81mm			
		Cable:30CM Rubber Black 3*1.0mm2			
		W/EMC IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG678-120W	LED Street Lamp 2LED*60W Epistar	1.0kv	2.0kv	I
	6163	220-240VAC~ 50/60Hz 120W 12000Lm 4200K Ra>70			
		Body: Alu. Grey 720*280*112mm			
		Cable:30CM Rubber Black 3*1.0mm2			
		W/EMC IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG678-180W	LED Street Lamp 3LED*60W Epistar	1.0kv	2.0kv	I
	6164	220-240VAC~ 50/60Hz 180W 18000Lm 4200K Ra>70			
		Body: Alu. Grey 880*340*112mm			
		Cable:30CM Rubber Black 3*1.0mm2			
		W/EMC IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LF101	LED Flood Lamp 1LED*10W Epistar	0.5kv	1.0kv	I
	6175	220-240VAC~ 50/60Hz 10W 620Lm 4200K Ra>70			
		Body: Alu. Black 172*165*67mm			
		Cable:1.5M Rubber Black 3*1.0mm2 W/EU Plug			
		W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			

	LF102	LED Flood Lamp 1LED*30W Epistar	1.0kv	2.0kv	I
	6176	220-240VAC~ 50/60Hz 30W 2100Lm 4200K Ra>70			
		Body: Alu. Black 241*284*85mm			
		Cable:1.5M Rubber Black 3*1.0mm2 W/EU Plug			
		W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LF103	LED Flood Lamp 1LED*50W Epistar	1.0kv	2.0kv	I
	6177	220-240VAC~ 50/60Hz 50W 3500Lm 4200K Ra>70			
		Body: Alu. Black 335*295*163mm			
		Cable:1.5M Rubber Black 3*1.0mm2 W/EU Plug			
		W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG712-10W	LED Flood Lamp 1LED*10W Epistar	0.5kv	1.0kv	I
	6240	220-240VAC~ 50/60Hz 10W 650Lm 5700K Ra>70			
		Body: Alu. Black 115*85*85mm			
		Cable:30CM Rubber Black 3*1.0mm2 W/O EU Plug			
		W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG713-30W	LED Flood Lamp 1LED*30W Epistar	1.0kv	2.0kv	I
	6241	220-240VAC~ 50/60Hz 30W 1950Lm 5700K Ra>70			
		Body: Alu. Black 225*185*126mm			
		Cable:30CM Rubber Black 3*1.0mm2 W/O EU Plug			
		W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG714-50W	LED Flood Lamp 1LED*50W Epistar	1.0kv	2.0kv	I
	6242	220-240VAC~ 50/60Hz 50W 3000Lm 5700K Ra>70			
		Body: Alu. Black 285*235*145mm			
		Cable:30CM Rubber Black 3*1.0mm2 W/O EU Plug			
		W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG160-50W	LED Flood Lamp Epistar	1.0kv	2.0kv	I
	6260	220-240VAC~ 50/60Hz 50W 3700Lm 5500K Ra>70			
		Body:Alu.Black 275*48*230mm			
		Cabel:1.0M Rubber Black 3*1.0mm2 W/EU Plug			
		W/EMC W/O sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	HL516-50W	LED Highbay Lamp Epistar	1.0kv	2.0kv	I
	6350	220-240VAC~ 50/60Hz 50W 3750Lm 4000K Ra>70			
		Body:Alu.Silver Φ438*336mm Diffuser 100°			
		Cabel:5.0M Rubber Black 3*1.0mm2 W/EU plug			
		W/EMC W/O sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	HL516-100W	LED Highbay Lamp Epistar	1.0kv	2.0kv	I
	6352	220-240VAC~ 50/60Hz 100W 7500Lm 4000K Ra>70			
		Body:Alu.Silver Φ532*382mm Diffuser 100°			
		Cabel:5.0M Rubber Black 3*1.0mm2 W/EU plug			
		W/EMC W/O sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG258C-LED	LED Tri-proof Lamp Epistar	1.0kv	2.0kv	I
	6363	220-240VAC~ 50/60Hz 50W 4000Lm 4000K Ra>70			
		Body:PC.Silver 1565*130*92mm			
		Without Cable W/EMC IP65 ClassI Pf>0.9			
		W/1pc of spare clip for each lamp			
		Three-year-warranty CE RoHS			
	LG703-60W	LED Flood Lamp Epistar	1.0kv	2.0kv	I
	6250	220-240VAC~ 50/60Hz 60W 4200Lm 4200K Ra>70			
		Body: Alu. Black 297*298*145mm			
		Cable:5.0M Rubber Black 3*1.0mm2 W/EU plug			
		W/Lishunda driver W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			

	LG703-120W	LED Flood Lamp Epistar	1.0kv	2.0kv	I
	6252	220-240VAC~ 50/60Hz 120W 8400Lm 4200K Ra>70			
		Body: Alu. Black 298*420*145mm			
		Cable:1.0M Rubber Black 3*1.0mm2 W/EU Plug			
		W/Lishunda driver W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG703-180W	LED Flood Lamp Epistar	1.0kv	2.0kv	I
	6253	220-240VAC~ 50/60Hz 180W 12600Lm 4200K Ra>70			
		Body: Alu. Black 596*340*154mm			
		Cable:1.0M Rubber Black 3*1.0mm2 W/EU Plug			
		W/Lishunda driver W/EMC W/O Sensor IP65 ClassI Pf>0.9			
		Three-year-warranty CE RoHS			
	LG800-30W	LED Road Lamp;Bridgelux SMD	1.0kv	2.0kv	I
	6166	100-240VAC~ 50/60Hz;30W;2550LM			
		4200K;Ra>70;Beam Angle:150° X 65°			
		Ambient Temp.:-40℃- +60℃			
		Body:Alu.;Dark Grey;522*216*137mm			
		Installation Diameter: Φ 50/65mm			
		Cable:**8.0M**;Rubber;Black;3*1.0mm2;**W/EU Plug**			
		With EMC;PF>0.9;IP65;ClassI			
		3-year-warranty;CE RoHS			
	LG800-60W	LED Road Lamp;Bridgelux SMD	1.0kv	2.0kv	I
	6167	100-240VAC~ 50/60Hz;60W;5100LM			
		4200K;Ra>70;Beam Angle:150° X 65°			
		Ambient Temp.:-40℃- +60℃			
		Body:Alu.;Dark Grey;629*268*148mm			
		Installation Diameter: Φ 50/65mm			
		Cable:**8.0M**;Rubber;Black;3*1.0mm2;**W/EU Plug**			
		With EMC;PF>0.9;IP65;ClassI			
		3-year-warranty;CE RoHS			
	LG160-30W	LED Flood Lamp;Epistar High Voltage chip;1LED*30W	1.0kv	2.0kv	I
	6261	220-240VAC~ 50/60Hz 30W 2100LM **4500K** Ra>70			
		Body: Alu.;Black;198*168*36mm			
		Cable: **1.0M**;Rubber;Black;3*1.0mm2;**W/EU Plug**			
		W/EMC;W/O sensor;IP65;ClassI;PF>0.9			
		3-year-warranty;CE RoHS			
	LG160-50W	LED Flood Lamp;Epistar High Voltage chip;1LED*50W	1.0kv	2.0kv	I
	6260	220-240VAC~ 50/60Hz 50W 3500LM **4500K** Ra>70			
		Body: Alu.;Black;275*210*48mm			
		Cable: **1.0M**;Rubber;Black;3*1.0mm2;**W/EU Plug**			
		W/EMC;W/O sensor;IP65;ClassI;PF>0.9			
		3-year-warranty;CE RoHS			
	LG160-80W	LED Flood Lamp;Epistar High Voltage chip;1LED*80W	1.0kv	2.0kv	I
	6262	220-240VAC~ 50/60Hz 80W 5600LM **4500K** Ra>70			
		Body: Alu.;Black;320*246*48mm			
		Cable: **1.0M**;Rubber;Black;3*1.0mm2;**W/EU Plug**			
		W/EMC;W/O sensor;IP65;ClassI;PF>0.9			
		3-year-warranty;CE RoHS			
	LG888-300W	LED Flood Lamp;Epistar SMD 2835	1.0kv	2.0kv	I
		110-240VAC~ 50/60Hz 300W **4200K** Ra>70 80lm\W			
		Body: Alu.;**gery**;482*482*144mm			
		Cable: **1.5M**;Rubber;Black;3*1.5mm2;W/EU Plug			
		W/EMC;W/O sensor;IP65;ClassI;PF>0.9			
		3-year-warranty;CE RoHS,			
	LG888-400W	LED Flood Lamp;Epistar SMD 2835	1.0kv	2.0kv	I
		110-240VAC~ 50/60Hz 400W **4200K** Ra>70 80lm/W			
		Body: Alu.;**Gery**;528*518*170mm			
		Cable: **1.5M;**Rubber;Black;3*1.5mm2;W/EU Plug			
		W/2pcs external driver;W/EMC;IP65;ClassI;PF>0.9			
		3-year-warranty;CE RoHS			
	LG888-600W	LED Flood Lamp;Epistar SMD 2835	1.0kv	2.0kv	I
		110-240VAC~ 50/60Hz 600W 4200K Ra>70 80lm/W			
		Body: Alu.;**Gery**;528*518*170mm			
		Cable: **1.5M;**Rubber;Black;3*1.5mm2;W/EU Plug			
		W/4pcs external driver;W/EMC;IP65;ClassI;PF>0.9			

		3-year-warranty;CE RoHS			